WEST Search History

DATE: Monday, April 28, 2003

| Set Name side by side | Query | Hit Count | Set Name result set |
|--|---------------------|-----------|------------------------|
| DB=USPT,PGPB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ | | | |
| L29 | L28 and 96-well | 1 | L29 |
| L28 | L27 and L6 | 48 | L28 |
| L27 | microtiter plate | 21353 | L27 |
| L26 | L25 and L19 | 0 | L26 |
| L25 | L24 and polystyrene | 48 | L25 |
| L24 | L12 not @PY>1998 | 454 | L24 |
| L23 | L22 and silver ion | .1 | L23 |
| L22 | bioassay plate | 95 | L22 |
| L21 | L10 and L20 | 1 | L21 |
| L20 | L19 and polystyrene | 2330 | L20 |
| L19 | 96-well plate | 9509 | L19 |
| L18 | L10 and L3 | 0 | L18 |
| L17 | L16 and L12 | 2 | L17 |
| L16 | multi-well | 3194 | L16 |
| L15 | L3 not @PY>1998 | 24 | L15 |
| L14 | L13 not @PY>1998 | 67 | L14 |
| L13 | L12 and multi!well | 165 | L13 |
| L12 | L10 and plate | 703 | L12 |
| L11 | L10 and L1 | 1 | L11 |
| L10 | silver surface | 1564 | L10 |
| L9 | L7 same bioassay | 1 | L9 |
| L8 | L6 same L1 | 0 | L8 |
| L7 | L6 same plate | 306 | L7 |
| L6 | silver ion | 9317 | L6 |
| L5 | L3 and silver ion | 0 | L5 |
| L4 | L3 same silver ion | . 0 | L4 |
| L3 | L2 same polystyrene | 60 | L3 |
| L2 | L1 with 96-well | 1298 | L2 |
| L1 . | microplate | 8353 | L1 |

END OF SEARCH HISTORY